





Produced by the United States Geological Survey  
Control by USGS and NOS/NOAA  
Compiled from aerial photographs taken 1985  
Field checked 1987. Map edited 1992  
North American Datum of 1927 (NAD 27). Projection and 1000-foot grid, Universal Transverse Mercator, zone 6  
1:0 000 foot-grid ticks based on Alaska coordinate system, zone 3  
The difference between NAD 27 and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks  
Land lines are omitted in areas of extensive tract surveys  
Swamps, as portrayed, indicate only the wetter areas, usually of low relief, as interpreted from aerial photographs



CONTOUR INTERVAL 10 METERS  
SUPPLEMENTARY CONTOUR INTERVAL 5 METERS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER  
OTHER ELEVATIONS SHOWN TO THE NEAREST METER  
To convert meters to feet multiply by 3.2808  
To convert feet to meters multiply by .3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY THE U.S. GEOLOGICAL SURVEY  
FAIRBANKS, ALASKA 99701; DENVER, COLORADO 80225; OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3	1 Livengood (A-2) SE
			2 Livengood (A-1) SW
			3 Livengood (A-1) SE
4	5	4 Fairbanks (D-2) NE	
			5 Fairbanks (D-1) NE
			6 Fairbanks (D-2) SE
6	7	8	7 Fairbanks (D-1) SW
			8 Fairbanks (D-1) SE

ROAD CLASSIFICATION

- Primary highway, hard surface . . . . . Light-duty road, hard or improved surface . . . . .
- Secondary highway, hard surface . . . . . Unimproved road . . . . .

FAIRBANKS (D-1) NW, ALASKA  
NW/4 FAIRBANKS (D-1) 1:63 360 SCALE QUADRANGLE  
64147-H3-TM-025  
1992

