

**LEGEND**

**POPULATED PLACES**

Over 12,000	ANCHORAGE
5,000 to 12,000	JUNEAU
1,000 to 5,000	SEWARD
500 to 1,000	Skagway
125 to 500	Sterling
Less than 125	Haines

**ROADS**

- Hard surface, heavy duty road
- More than two lanes wide
- Two lanes wide
- Hard surface, medium duty road
- More than two lanes wide
- Two lanes wide
- Improved light duty road
- Unimproved dirt road; Trail

**RAILROADS**

- Normal gauge
- Narrow gauge

**BOUNDARIES**


- International
- Park or reservation
- Horizontal control point
- Spot elevation in feet: Checked; Unchecked
- Power line
- Mine: Mine prospect; Mine shaft; Mine tunnel
- Landmarks: School; Church; Other

**LANDMARKS**

- Landplane airport
- Seaplane airport
- Seaplane anchorage
- Landing area
- Glacier
- Glacial moraine
- Woods-brushwood
- Scrub
- Land subject to inundation
- Mine tailings
- Depth curve in feet
- Limit of danger; Reef
- Wrecks: Sunken; Exposed
- Rocks: Sunken; Ash
- Foreshore flat
- Intermittent or dry stream
- Marsh or swamp

U.S. GEOLOGICAL SURVEY  
LIBRARY  
AUG 2, 1965

Q501  
Edition 2-AMS, First Printing  
Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1963 from Alaska 1:250,000, USGS, Chandalar, 1956. Original map compiled by USGS, 1956. Topography compiled by photogrammetric methods. Aerial photography 1955. Control by USGS. Map not field checked.



CONTOUR INTERVAL 200 FEET  
VERTICAL DATUM: MEAN SEA LEVEL  
TRANSVERSE MERCATOR PROJECTION  
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM  
BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 6  
THE LAST FOUR DIGITS OF THE GRID NUMBERS ARE OMITTED

SX 8-64 PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS

**GRID ZONE DESIGNATION:**  
UL VL  
UK VK

**TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS**

**SAMPLE POINT: CABIN**

1. Read letters identifying 100,000 meter square in which the point lies.  
2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure indicating the line when in the top or bottom margin, or on the line itself.  
3. Estimate tenths from grid line to point.  
4. Locate first HORIZONTAL grid line BELOW point and read LARGE figure indicating the line when in the left or right margin, or on the line itself.  
5. Estimate tenths from grid line to point.

**SAMPLE REFERENCE:**  
740000  
680000  
680000  
680000

U.S. GEOLOGICAL SURVEY  
680000  
680000  
680000  
680000

1964  
United States Topo. 1:250,000.  
Sheet Chandalar, 1964.  
Cop. 1.

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 28°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 30°30' EASTERLY FOR THE CENTER OF THE EAST EDGE. ANNUAL CHANGE IS 0'05" WESTERLY.  
USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D.C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.

STOCK NO. Q501XNQ563