

LEGEND

POPULATED PLACES

- Over 12,000 _____ ANCHORAGE
- 5,000 to 12,000 _____ JUNEAU
- 1,000 to 5,000 _____ SEWARD
- 500 to 1,000 _____ Skagway
- 125 to 500 _____ Sterling
- Less than 125 _____ Haines

ROADS

- Hard surface, heavy duty road _____
- More than two lanes wide _____
- Two lanes wide _____
- Hard surface, medium duty road _____
- More than two lanes wide _____
- Two lanes wide _____
- Improved light duty road _____
- Unimproved dirt road; Trail _____

RAILROADS


- Route marker: Federal; State _____
- Normal gauge _____ Single track Double or Multiple
- Narrow gauge _____

BOUNDARIES


- International _____
- Park or reservation _____
- Horizontal control point _____
- Spot elevation in feet: Checked; Unchecked _____
- Power line _____ 227, 227'
- Mine: Mine prospect; Mine shaft; Mine tunnel _____
- Landmarks: School; Church; Other _____

Other Symbols:

- Landplane airport _____
- Landing area _____
- Seaplane airport _____
- Seaplane anchorage _____
- Glacier _____
- Glacial moraine _____
- Woods-brushwood _____
- Scrub _____
- Land subject to inundation _____
- Mine tailings _____
- Depth curve in feet _____
- Limit of danger: Reef _____
- Wrecks: Sunken; Exposed _____
- Rocks: Sunken; Awash _____
- Foreshore flat _____
- Intermittent or dry stream _____
- Marsh or swamp _____



Q501
Edition 2-AMS
Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1964 from Alaska 1:250,000, USGS, Kotzebue, 1951. Original map compiled from Army Map Service, Alaska 1:50,000 series, 1949-1951. Coastal hydrography compiled from USCGS Charts 9400 (1956) and 9402 (1951). Control by USGS, USC&GS, and USCE. Map not field checked.



CONTOUR INTERVAL 100 FEET
VERTICAL DATUM: MEAN SEA LEVEL
TRANSVERSE MERCATOR PROJECTION
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM
HYDROGRAPHIC DATUM: DEPTH CURVES IN FEET REFERRED TO MEAN LOWER LOW WATER
SHOULDER LINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 3

GRID ZONE DESIGNATION: SW

100,000 M. SQUARE IDENTIFICATION

WE	XE	WD	XD
50	60	90	00

1. Read letters identifying 100,000 meter square in which the point lies.
2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure showing the line either in the top or bottom margin, or on the line itself.
3. Estimate tenths from grid line to point.
4. Locate first HORIZONTAL grid line BELOW point and read LARGE figure showing the line either in the left or right margin, or on the line itself.
5. Estimate tenths from grid line to point.

EXAMPLE: 733000
If reporting beyond 10' in any direction, prefix Grid Zone Designation, as: 3SW04661

United States Topo. 1:250,000.
Sheet Kotzebue, 1964
cop. 1.

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 17°00' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 16°15' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°03' WESTERLY.
USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D.C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.