

**LEGEND**

**POPULATED PLACES**

- Over 12,000 **ANCHORAGE**
- 5,000 to 12,000 **JUNEAU**
- 1,000 to 5,000 **SEWARD**
- 500 to 1,000 **Skagway**
- 125 to 500 **Sterling**
- Less than 125 **Haines**

**ROADS**

- Hard surface, heavy duty road
- More than two lanes wide
- Two lanes wide
- Hard surface, medium duty road
- More than two lanes wide
- Two lanes wide
- Improved light duty road
- Unimproved dirt road; Trail

**RAILROADS**

- Route marker: Federal, State
- Normal gauge
- Narrow gauge

**BOUNDARIES**

- International
- Park or reservation
- Horizontal control point
- Spot elevation in feet: Checked; Unchecked
- Power line
- Mine: Mine prospect; Mine shaft; Mine tunnel
- Landmarks: School; Church; Other

**Landplane airport**

**Landing area**

**Seaplane airport**

**Seaplane anchorage**

**Glacier**

**Glacial moraine**

**Woods-brushwood**

**Scrub**

**Land subject to inundation**

**Mine tailings**

**Depth curve in feet**

**Limit of danger; Reef**


**Wrecks: Sunken; Exposed**

**Rocks: Sunken; Awash**


**Foreshore flat**

**Intermittent or dry stream**

**Marsh or swamp**



Q501  
Edition 2-AMS, First Printing  
Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1964 from Alaska 1:250,000, USGS, Naknek, 1952. Original map compiled from U.S. Geological Survey, Alaska 1:50,000 series, and Army Map Service, Alaska 1:50,000 series, 1952. Coastal hydrography compiled from USCGS Charts 9051 and 9302 (1951-1958). Control by USCGS and USCE. Map not field checked.



CONTOUR INTERVAL 100 FEET  
VERTICAL DATUM: MEAN SEA LEVEL  
TRANSVERSE MERCATOR PROJECTION  
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM  
HYDROGRAPHIC DATUM: DEPTH CURVES IN FEET REFERRED TO MEAN LOWER LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 4  
THE LAST FOUR DIGITS OF THE GRID NUMBERS ARE OMITTED

GRID ZONE DESIGNATION	TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
4V	SAMPLE POINT: CABIN
EA FA	1. Read letters identifying 100,000 meter square in which the point lies.
EV FV	2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
	3. Estimate tenths from grid line to point.
	4. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
	5. Estimate tenths from grid line to point.
	SAMPLE REFERENCE: EV982
	If reporting beyond 7°N, S or 18°E, W, prefix Grid Zone Designation, etc. EV982E

United States. Topo. 1:24,000.  
sheet Naknek. 1964  
cop. 1

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 20°15' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 21°00' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 9"00" WESTERLY.  
USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D.C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.