


LEGEND

POPULATED PLACES	ANCHORAGE
Over 12,000	SEWARD
5,000 to 12,000	Skagway
1,000 to 5,000	Sterling
500 to 1,000	Haines
125 to 500	
Less than 125	
ROADS	
Hard surface, heavy duty road	
More than two lanes wide	
Two lanes wide	
Hard surface, medium duty road	
More than two lanes wide	
Two lanes wide	
Improved light duty road	
Unimproved dirt road; Trail	
Route marker: Federal, State	
RAILROADS	
Normal gauge	
Narrow gauge	
BOUNDARIES	
International	
Park or reservation	
Horizontal control point	
Spot elevation in feet: Checked; Unchecked	
Power line	
Mine: Mine prospect; Mine shaft; Mine tunnel	
Landmarks: School; Church; Other	
Landplane airport	
Landing area	
Seaplane airport	
Seaplane anchorage	
Glacier	
Glacial moraine	
Woods-brushwood	
Scrub	
Land subject to inundation	
Mine tailings	
Depth curve in feet	
Limit of danger; Reef	
Wrecks: Sunken; Exposed	
Rocks: Sunken; Awash	
Foreshore flat	
Intermittent or dry stream	
Marsh or swamp	

Q501  
Edition 2-AMS  
Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1964 from Alaska 1:250,000, USGS, Nulato, 1952. Original map compiled from U.S. Geological Survey, Alaska 1:63,360 series, 1952. Control by US&G&S and USCE. Map not field checked.



CONTOUR INTERVAL 200 FEET  
VERTICAL DATUM: MEAN SEA LEVEL  
TRANSVERSE MERCATOR PROJECTION  
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM  
BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 4

GRID ZONE DESIGNATION: 4W	TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS
100,000 M. SQUARE IDENTIFICATION	SAMPLE POINT: NINEMILE CAMP
EH FH EG FG EF FF	1. Read within identifying 100,000 meter square in which the point lies. 2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure showing the line either in the top or bottom margin, or on the side margin. 3. Estimate tenths from grid line to point. 4. Locate first HORIZONTAL grid line BELOW point and read LARGE figure showing the line either in the left or right margin, or on the bottom margin. 5. Estimate tenths from grid line to point. 6. Combine the two figures to give the full coordinates. Use ONLY the LARGE figure in the grid number. EXAMPLE: 710000
	SAMPLE REFERENCE: 470364 #W913064

United States Topo. 1:250,000.  
sheet Nulato. 1964  
Cop. 1

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 21°07' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 20°15' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°05' WESTERLY.  
USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D.C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.