



U.S. GEOLOGICAL SURVEY
WASHINGTON, D.C.
1 AUG - 3 1965
LIBRARY

Q501
Edition 2-AMS, First Printing
Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1964 from Alaska 1:250,000, USGS, Nunivak Island, 1954. Original map compiled from Army Map Service, Alaska 1:50,000 series, 1952 and 1954. Coastal hydrography compiled from USC&GS Chart 9302 (1958), and Topographic Surveys (1959). Control by USC&GS. Map not field checked.

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 14°45' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 16°30' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 9'00" WESTERLY.

USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D. C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.

LEGEND

POPULATED PLACES
Over 12,000
5,000 to 12,000
1,000 to 5,000
500 to 1,000
125 to 500
Less than 125

RAILROADS
Normal gauge
Narrow gauge

BOUNDARIES
International
Park or reservation
Horizontal control point
Spot elevation in feet: Checked
Spot elevation in feet: Unchecked
Route marker: Federal; State
Woods-brushwood
Scrub

ROADS
Hard surface, heavy duty road
More than two lanes wide
Two lanes wide
Hard surface, medium duty road
More than two lanes wide
Two lanes wide
Improved light duty road
Unimproved dirt road; Trail
Mines: Mine prospect; Mine shaft; Mine tunnel
Landmarks: School; Church; Other
Land subject to inundation
Mine tailings

ANCHORAGE
JUNEAU
SEWARD
STERLING
HAINES

LANDPLANE AIRPORT
Landing area
Seaplane airport
Seaplane anchorage
Glacier
Glacial moraine
Marsh or swamp

DEPTH CURVE IN FEET
Limit of danger; Reef
Wrecks: Sunken; Exposed
Rocks: Sunken; Awash
Foreshore flat
Intermittent or dry stream
Marsh or swamp

Scale 1:250,000


0 5 10 15 20 25 30 35 40 45 50
0 5 10 15 20 25 30 35 40 45 50
0 5 10 15 20 25 30 35 40 45 50
0 5 10 15 20 25 30 35 40 45 50

0 5 10 15 20 25 30 35 40 45 50
0 5 10 15 20 25 30 35 40 45 50

CONTOUR INTERVAL: 100 FEET
DOTTED LINES REPRESENT 50-FOOT CONTOURS
VERTICAL DATUM: MEAN SEA LEVEL

TRANSVERSE MERCATOR PROJECTION
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM
HYDROGRAPHIC DATUM: DEPTH CURVES IN FEET REFERRED TO MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 3
THE LAST FOUR DIGITS OF THE GRID NUMBERS ARE OMITTED

United States. Topo. 1:250,000.
sheet Nunivak Island. 1964
Cop. 1



SX 7-64 PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS

GRID ZONE DESIGNATION		TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS	
UT	VT	US	VS
4	3	4	3
4	3	4	3
4	3	4	3
4	3	4	3

1. Read letters identifying 100,000 meter square in which the point lies.
2. Locate first vertical grid line to LEFT of point and read LARGE figure labeling the line within the top or bottom margin, or on the line itself.
3. Estimate tenth from grid line to point.
4. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line within the left or right margin, or on the line itself.
5. Estimate tenth from grid line to point.

SAMPLE REFERENCE: US498
30052478

STOCK NO. 0501XNP3.413