



Q501, EDITION 2-TPC
 Prepared by U. S. Army Topographic Command (G), Corps of Engineers, U. S. Army, Washington, D. C. Copied in 1969 from Alaska 1:250,000, USCGS, Pribilof Islands, 1948. Original map compiled from 1:75,000 Hydrographic Office Chart and 1898 Treasury Department Charts. Control by USCG&GS.

POPULATED PLACES

- Over 12,000
- 5,000 to 12,000
- 1,000 to 5,000
- 500 to 1,000
- 125 to 500
- Less than 125

RAILROADS

- Normal gauge
- Narrow gauge

BOUNDARIES

- International
- Park or reservation
- Horizontal control point
- Spot elevation in feet
- Power line
- Route marker: Federal, State
- Woods/brushwood
- Scrub

ANCHORAGE

- Juneau
- Seward
- Sterling
- Haines

ROADS

- Hard surface, heavy duty road
- More than two lanes wide
- Two lanes wide
- Hard surface, medium duty road
- More than two lanes wide
- Two lanes wide
- Unimproved dirt road; Trail
- Mine; Mine prospect; Mine shaft; Mine tunnel
- Landmarks: School; Church; Other
- Land subject to inundation
- Mine tailings

Other Symbols:

- Landplane airport
- Landing area
- Seaplane airport
- Seaplane anchorage
- Glacier
- Glacial moraine
- Marsh or swamp
- Depth curve in feet
- Limit of danger; Reef
- Wrecks: Sunken; Exposed
- Rocks: Sunken; Awash
- Foreshore flat
- Intermittent or dry stream

Scale 1:250,000

0 5 10 15 20 25 Statute Miles

0 5 10 15 20 25 30 35 Kilometers

0 5 10 15 20 Nautical Miles

CONTOUR INTERVALS 200 AND 1000 FEET
 VERTICAL DATUM: MEAN SEA LEVEL

TRANSVERSE MERCATOR PROJECTION
 HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM

HYDROGRAPHIC DATUM: DEPTH CURVES IN FEET REFERRED TO MEAN LOWER LOW WATER
 SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 2

1985 MAGNETIC DECLINATION FROM TRUE NORTH FOR THIS SHEET VARIES FROM 10°5' (100 MILES) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 15°5' (220 MILES) EASTERLY FOR THE CENTER OF THE EAST EDGE.

USERS ARE URGED TO REFER CORRECTIONS AND COMMENTS FOR INCREASING THE USEFULNESS OF THIS MAP TO COMMANDING GENERAL, U. S. ARMY TOPOGRAPHIC COMMAND, WASHINGTON, D. C. 20315

United States Topo. 1:250,000.
 sheet St. Matthew, 1469. A
 cop. 1.

SI 12-69 PRINTED BY U. S. ARMY TOPOGRAPHIC COMMAND

GRID ZONE DESIGNATION		TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS	
LC	MC	20	40
LB	MB	00	00

SAMPLE POINT: BULL SEAL POINT

1. Read letters identifying 100,000 meter squares in which the point lies.
 2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
 3. Estimate tenths from grid line to point.
 4. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
 5. Estimate tenths from grid line to point.

SAMPLE REFERENCE: LC0514 2VL02514

ST. MATTHEW, ALASKA
 STOCK NO. Q501XNP1215**02

WASHINGTON
 MAR 1 1970
 LIBRARY