



Maped and edited by Tennessee Valley Authority
Published by the Geological Survey

Control by USC&GS, USGS, USED, and TVA

Topography by USGS and TVA by multiplex methods from aerial
photographs taken 1948. Field examination by TVA, 1950

Polyconic projection, 1927 North American datum
10,000-foot grid based on Alabama (West) and
Mississippi East rectangular coordinate systems

1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in purple

Grid declination 0° 36' 11" Mils West

Revisions in purple compiled by TVA, February 1968 from

April 1967 photography without field examination

Note
Underwater contours taken
from TWA Navigation Chart
202, Edition 1960

3 1/2" / 62 MILS

TRUE NORTH
MAGNETIC NORTH

APPROXIMATE MEAN
DECLINATION 1968

Larger scale
topographic maps
available from TVA

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 1 KILOMETER

CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929


THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092.
AND U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

LEGEND

Fence and field line
Stream
Pond and dam
Mine or quarry
Woodland (formerly clearing)
Clearing (formerly woodland)
General deletion

USCS
Historical File
Topographic Division

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty. LANE Improved dirt.
Medium-duty. LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route



BISHOP, ALA.-MISS.
N3437.5-W8800/7.5 F1

1950

AUG 0 8 1974

26-NE

AMS 3553 II NE SERIES 1984