



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1967
Polyconic projection. 1927 North American datum, 10,000-foot grid based on Alabama coordinate system, west zone 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks
Map photoinspected 1981
No major culture or drainage changes observed

UTM GRID AND 1967 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
0°27' 8 MILS
36° 62 MILS

SCALE 1:24,000
1 MILE
1000 2000 3000 4000 5000 6000 7000 FEET
1 KILOMETER

CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Medium-duty Light-duty
Unimproved dirt
State Route

ALABAMA
QUADRANGLE LOCATION

USGS AND HISTORICAL MAP ARCHIVES
JAN 14 1992
REC'D FILE COPY

BROWNVILLE, ALA.
33087-D7-TF-024
1967
PHOTOINSPECTED 1981
DMA 3450 IV NE—SERIES V844