




Produced by the United States Geological Survey  
Topography compiled 1957. Planimetry derived from imagery taken 1996 and other sources. Public Land Survey System and survey control current as of 1959.  
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 16 10 000-foot ticks: Alabama Coordinate System of 1983 (west and east zones).  
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.  
Landmark buildings verified 1959.



CONTOUR INTERVAL 20 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1983  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



**ROAD CLASSIFICATION**

Primary highway .....  
hard surface .....  
Secondary highway .....  
hard surface .....  
Unimproved road .....

Light-duty road, hard or improved surface .....  
Unimproved road .....

Interstate Route .....  
U.S. Route .....  
State Route .....

1	2	3
4	5	6
7	8	9

**RECEIVED**  
APR 30 2001  
USGS NWL  
HISTORICAL MAP ARCHIVES

**LEEDS, AL**  
**1998**

NIMA 3651 II SE-SERIES V844

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

