


Mapped by the Geological Survey  
1946

Scale 1:24,000  
0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 6500 7000 7500  
0 1 2 3 4 5 6 7 8 9 10  
Yards  
Feet  
Kilometer

Contour interval 20 feet  
Datum is mean sea level



Polyconic projection, 1927 North American datum  
10,000 foot grid based on Alabama (West)  
rectangular coordinate system

ROAD CLASSIFICATION  
1946  
Dependable hard surface  
heavily used road  
Secondary hard surface  
at weathered cross  
More than two lanes indicated along road with tick at point of change  
ROAD CLASSIFICATION  
1946  
Dependable hard surface  
heavily used road  
Secondary hard surface  
at weathered cross  
More than two lanes indicated along road with tick at point of change  
ROAD CLASSIFICATION  
1946  
Dependable hard surface  
heavily used road  
Secondary hard surface  
at weathered cross  
More than two lanes indicated along road with tick at point of change

TRUE NORTH  
MAGNETIC NORTH

APPROXIMATE MEAN  
DECLINATION, 1946

USGS LIBRARY - RESTON  
3 1818 00544920 0

PHIL CAMPBELL, ALA.  
Edition of 1947

N 3415-W 8737.5/7.5