



Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey

Control by NOS/NOAA, USGS, and TVA
Revised by TVA in 1975 by photogrammetric methods using
aerial photographs taken 1974 and by reference to TVA-USGS
quadrangle dated 1947. Map fields checked by TVA, 1975


Polyconic projection, 1927 North American datum
10,000 foot grid based on Alabama (East)
rectangular coordinate system
1000 metre Universal Transverse Mercator Grid ticks,
Zone 16, shown in blue

Fine red dashed lines indicate selected fence and field lines
visible on aerial photographs. This information is unchecked
To place on the predicted North American Datum 1983
move the projection lines 8 meters south and
3 meters west as shown by dashed corner ticks



CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND U.S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Heavy-duty	-----	Poor motor road	-----
Medium-duty	-----	Wagon and jeep track	-----
Light-duty	-----	Foot trail	-----
Interstate Route	-----	U. S. Route	-----
	-----	State Route	-----

In developed areas, only through roads are classified

USGS NMU HIS 10
OCT 24 1989
PORTERSVILLE, ALA.
34085-C7-TF-024
1975
DMA 3852 IV SE-SERIES V844