




To convert feet to meters multiply by 3.048  
To convert meters to feet multiply by 3.2808

Mapped, edited, and published by the Geological Survey  
Control by USGS, NOS/NOAA, and Alabama Geodetic Survey  
Topography by photogrammetric methods from aerial photographs taken 1976. Field checked 1976. Map edited 1980  
Selected hydrographic data compiled from NOS chart 11376 (1979)  
This information is not intended for navigational purposes  
Projection and 10,000-foot grid ticks: Alabama coordinate system, west zone (transverse Mercator)  
1000-meter Universal Transverse Mercator grid, zone 16  
1927 North American Datum  
To place on the predicted North American Datum 1983 move the projection lines 19 meters south and 1 meter east as shown by dashed corner ticks  
There may be private inholdings within the boundaries of the National or State reservations shown on this map



SCALE 1:24 000  
CONTOUR INTERVAL 2 METERS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER  
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER  
DEPTH CURVES AND SOUNDINGS IN METERS—GULF COAST LOW WATER DATUM  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE PERIODIC TIDES IN THIS AREA ARE NEGLIGIBLE



ROAD CLASSIFICATION  
Primary highway, hard surface ..... Light-duty road, hard or improved surface ..  
Secondary highway, hard surface ..... Unimproved road ..  
Interstate Route U. S. Route State Route

ST. ANDREWS BAY, ALA.  
N3007.5-W8752/7.5  
1980  
DMA 3444 III NW-SERIES V844

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

DEC 1 1980  
2150