



85° 52' 30"  
34° 37' 30"  
R. 7 E. R. 8 E.  
50'  
(Henagar 96-NE)  
47' 30"  
500,000 FEET  
HENAGAR 1.1 MI.  
IDER 7.8 MI.  
1,500,000 FEET  
HAMMONDVILLE 11.1 MI.  
1,460,000 FEET  
SCOTTSDORO 17.1 MI.  
SECTION 7.8 MI.  
234°  
TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN DECLINATION, 1990

85° 45'  
34° 37' 30"  
1,460,000 FEET  
T. 5 S.  
T. 6 S.  
32° 30'  
34° 30'  
85° 52' 30"  
490,000 FEET  
R. 7 E. R. 8 E.  
50'  
(Chamies 97-NE)  
47' 30"  
500,000 FEET  
R. 7 E. R. 8 E.  
50'  
RAINSVILLE 10.5 MI.  
FORT PAYNE 9.3 MI.  
ALBERTVILLE 24.1 MI.  
2165

Control by USGS, USGS, and TVA  
Topography by USGS and TVA from aerial  
photographs by stereophotogrammetric methods  
Field examination by Tennessee Valley Authority, 1947  
Maps distributed by the Geological Survey  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

SCALE 1:24000  
1 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 0 5 10 KILOMETER  
Contour interval 20 feet  
Datum is mean sea level

U.S.G.S.  
FILE COPY  
Inspection and Editing

Polyconic projection, 1927 North American datum  
10,000 foot grid based on Alabama (East)  
rectangular coordinate system  
ROUTES USUALLY TRAVELED  
HARD, IMPERVIOUS SURFACES  
OTHER SURFACE IMPROVEMENTS  
U.S. ROUTE STATE ROUTE  
SYLVANIA, ALA.  
96-SE  
Edition of 1950  
N3430-W8545/7.5  
USGS  
Historical File  
Topographic Division