



Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey


Control by USC&GS, USGS, and TVA

Topography by multicolor methods from aerial  
photographs taken 1950. Field examination by TVA, 1952.

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Alabama (West)  
rectangular coordinate system


1000 meter Universal Transverse Mercator Grid ticks,  
Zone 16, shown in blue.

TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION 1955



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
AND BY U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division



QUADRANGLE LOCATION

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty LANE IS LANE Improved dirt LANE IS LANE  
Medium-duty LANE IS LANE Unimproved dirt LANE IS LANE  
Loose-surface, graded, or narrow hard-surface LANE IS LANE  
U. S. Route State Route

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION  
HISTORICAL

WHEELER DAM, ALA.  
N3445-W8722.5/7.5

1952  
MINOR CORRECTIONS MADE 1956

HISTORICAL  
MAY 20 1957  
2155