



Produced by the United States Geological Survey Derived from imagery taken 1987 and other sources. Photinspected using imagery taken 1998; no major culture or drainage changes observed. Public Land Survey System and survey control current as of 1990. Boundaries verified 2002. North American Datum of 1927 (NAD 27). Projection and 1:100,000-meter grid; Universal Transverse Mercator, zone 10. 10 000-foot ticks; California Coordinate System of 1977 (zone 2). North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.



SCALE 1:24 000 CONTOUR INTERVAL 40 FEET SUPPLEMENTARY CONTOUR INTERVAL 20 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 (TO CONVERT ELEVATIONS TO THE NORTH AMERICAN VERTICAL DATUM OF 1988, ADD 3 FEET) TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

Table with 3 columns and 3 rows showing grid coordinates and corresponding map sheet numbers (1-9).

ROAD CLASSIFICATION Primary highway hard surface, Secondary highway hard surface, Interstate Route, U.S. Route, State Route, Light-duty road, hard or improved surface, Unimproved road.

ASTI, CA 1998

NIMA 1461 IV-SERIES V895

