

Topography by photogrammetric methods from aerial photographs taken 1963. Field checked 1966 Supersedes map dated 1930

Polyconic projection. 1927 North American datum 10,000-foot grid based on California coordinate system, zone 5 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Fine red dashed lines indicate selected fence lines

Past II SENTY ROAD CLASSIFICATION 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET MN GN THE SMAP SEE ALS D: 3852.C4 S 31.75 UNDER SAME QUAD NAME Medium-duty______Light-duty_____ Unimproved dirt _____ 276 MILS CONTOUR INTERVAL 40 FEET REE 0°58' 17 MILS DOTTED LINES REPRESENT 20-FOOT CONTOURS DATUM IS MEAN SEA LEVEL DO NOT CIRCULATE REFERENCE 3700s Var BEAR MOUNTAIN, CALIF. UTM GRID AND 1966 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET NW/4 CUMMINGS MTN. 15' QUADRANGLE N3507.5—W11837.5/7.5 QUADRANGLE LOCATION U5 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST 7.5 1966 ed. 1966

AMS 2254 II NW-SERIES V895

rep. 1967 pp