





U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

117°45'  
33°52'30"  
2080 000 FEET (5)  
T. 3 S.  
T. 4 S.  
130 000 FEET (5)  
50'  
47°30'  
580 000 FEET (6)  
33°45'  
117°45'

117°37'30"  
33°52'30"  
520 000 FEET (6)  
T. 3 S.  
T. 4 S.  
50'  
47°30'  
100 000 FEET (5)  
T. 4 S.  
T. 5 S.  
33°45'  
117°37'30"

Mapped, edited, and published by the Geological Survey  
Control by USGS and USC&GS  
Topography from aerial photographs by multiplex methods  
Aerial photographs taken 1946. Field check 1949  
Polyconic projection. 1927 North American datum  
10,000-foot grids based on California coordinate system,  
zones 5 and 6  
Dashed land lines indicate approximate location  
Land lines within Santiago de Santa Ana and Lomas  
de Santiago grants were established by private survey



CONTOUR INTERVAL 20 FEET  
DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty 4 LANE 16 LANE Improved dirt  
Medium-duty 4 LANE 16 LANE Unimproved dirt  
Loose-surface, graded, or narrow hard-surface  
U. S. Route State Route

BLACK STAR CANYON, CALIF.  
N3345-W11737.5/7.5

1949

SEP 2 1955

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

4825