


Polyconic projection. 1927 North American Datum 10,000-foot grid based on California coordinate system, zone 3 1000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks

Red tint indicates areas in which only landmark buildings are shown



CONTOUR INTERVAL 40 FEET DOTTED LINES REPRESENT 20-FOOT CONTOURS NATIONAL GEODETIC VERTICAL DATUM OF 1929 DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 1 FOOT SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER THE MEAN RANGE OF TIDE IS APPROXIMATELY 4 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

Data shown in purple compiled from aerial photographs

taken1968. This information not field checked

Purple tint indicates extension of urban areas

37122-G5-TF-024 PHOTOINSPECTED 1978 1954 PHOTOREVISED 1968 DMA 1459 I SE-SERIES V895 OUTH