

Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and USCE

Topography by photogrammetric methods from aerial photographs taken 1946. Field checked 1948. Revised from aerial photographs taken 1967. Field checked 1968



Selected hydrographic data compiled from USC&GS Surveys (1924, 1934-35). This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum 10,000-foot grid based on California coordinate system, zone 6 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence lines

Dotted land lines established by private survey



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 4 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION

- Heavy-duty (thick red line)
- Medium-duty (medium red line)
- Light-duty (thin red line)
- Unimproved dirt (dashed red line)
- Interstate Route (red line with shield)
- State Route (red line with circle)

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

SAN LUIS REY, CALIF.
NE/4 OCEANSIDE 15' QUADRANGLE
N3307.5—W11715.7/5

1968

AMS 2550 III NE—SERIES V895

13085
JAN 16 1970