




Mapped, edited, and published by the Geological Survey
Control by USGS
Topography from aerial photographs by Keshl plotter
Aerial photographs taken 1952. Field check 1955
Polyconic projection. 1927 North American Datum
10,000-foot grid based on California coordinate system,
zone 5
1000-meter Universal Transverse Mercator grid, zone 11
The difference between 1927 North American Datum and North
American Datum of 1983 (NAD 83) for 7.5 minute intersections is
given in USGS Bulletin 1875. The NAD 83 is shown by dashed
corner ticks
There may be private inholdings within the boundaries of
the National or State reservations shown on this map



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improve surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

SILVER BELL MINE, CALIF.
34116-F5-TF-024
1955
DMA 2653 II NE-SERIES V895