



Prepared by the Army Map Service (KCSX), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1957 from United States Quadrangles, 1:24,000, 1:25,000, 1:50,000, 1:62,500, U. S. Geological Survey and Army Map Service, 1942-53; USCGS Chart 5602, 1955. Planimetric detail revised by photogrammetric methods. Control by USGS, USCGS and CE. Map field checked, 1957.

100,000-foot grids based on California coordinate system, zones 2 and 1.

10,000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue.

**LEGEND**

**ROAD DATA 1957**

Figures in red denote approximate distances in miles between stars

**POPULATED PLACES**

Over 500,000  
100,000 to 500,000  
25,000 to 100,000  
5,000 to 25,000  
1,000 to 5,000  
Less than 1,000

**ROADS**

Hard surface, heavy duty  
More than two lanes wide  
Two lanes wide, Federal route marker  
Hard surface, medium duty  
More than two lanes wide  
Two lanes wide, State route marker  
Improved light duty  
Unimproved dirt

**RAILROADS**

Single track  
Double or Multiple  
Standard gauge  
Narrow gauge

**BOUNDARIES**


International  
County  
Park or reservation  
Horizontal control point  
Spot elevation in feet

**LANDMARKS**

School, Church, Other  
Depth curves in fathoms  
Limit of danger, Reef  
Rocks: Awaash, Sunken  
Intermittent or dry stream  
Marsh or swamp; Rice

**Other Symbols**

Landplane airport  
Landing airfield  
Seaplane anchorage  
Power line  
Orchard  
Woods/bushwood



CONTOUR INTERVAL 200 FEET  
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 18°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 19°00' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°02' WESTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.

