

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS


Topography from aerial photographs by multiplex methods  
Aerial photographs taken 1947. Field check 1950

Polyconic projection. 1927 North American Datum  
10,000-foot grid based on California coordinate system, zone 1

Dashed land lines indicate approximate locations

1000-meter Universal Transverse Mercator grid ticks,  
zone 10, shown in blue

Blue hatching indicates areas submerged by  
Trinity Dam at elevation 2387 and  
Lewiston Dam at elevation 1902



CONTOUR INTERVAL 100 FEET  
DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
Medium-duty ——— Light-duty ———  
Unimproved dirt - - - - -

TRINITY LAKE, CALIF.  
N4045-W12245/15  
1950

MINOR REVISIONS MADE 1962

6170

NAME CHANGED TO TRINITY DAM

JAN - 6 1964