



Mapped, edited, and published by the Geological Survey as part of the Department of the Interior program for the development of the Missouri River Basin Control by USGS and NOS/NOAA  
Topography by photogrammetric methods from aerial photographs taken 1959-60. Field checked 1961  
Polyconic projection. 1927 North American Datum 10,000-foot grids based on Colorado coordinate system, north zone, Nebraska coordinate system, south zone, and Kansas coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks, zone 13, shown in blue  
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

UTM GRID AND 1984 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET  
1:23° 33' MILS  
1:10° 17' MILS



ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Unimproved dirt - - - - -  
U.S. Route

GEOLOGICAL SURVEY OF WYOMING  
LAIRD, COLO.-NEBR.-KANS.  
40102-A1-TF-024

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092 AND KANSAS GEOLOGICAL SURVEY, LAWRENCE, KANSAS 66044 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

To place on the predicted North American Datum 1983 move the projection lines 4 meters north and 40 meters east as shown by dashed corner ticks

1961  
PHOTOREVISED 1984  
DMA 5864 II SE-SERIES V877

