



Mapped, edited, and published by the Geological Survey
 Control by USGS and NOS/NOAA
 Topography by photogrammetric methods from aerial photographs taken 1965. Field checked 1965
 Polyconic projection. 1927 North American Datum
 10,000-foot grid based on Colorado coordinate system, central zone
 1000-meter Universal Transverse Mercator grid ticks, zone 13, shown in blue
 The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks
 Fine red dashed lines indicate selected fence lines
 Where omitted, land lines have not been established

There may be private inholdings within the boundaries of the National or State reservations shown on this map

UTM GRID AND 1965 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

CONTOUR INTERVAL 40 FEET

ROAD CLASSIFICATION
 Light-duty ————— Unimproved dirt - - - - -

Map photoinspected 1976
 No major culture or drainage changes observed

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

RECEIVED APR 30 2001
 USGS NWL
 HISTORICAL MAP ARCHIVES

9 780607 124521