



V502, EDITION 3  
 Prepared by the U. S. Army Topographic Command (FSART), Washington, D. C. Compiled in 1955 by photogrammetric methods and from United States quadrangles, 1:24,000, 1:62,500, 1:125,000, 1:911-50. Planimetry revised from aerial photographs taken 1953. Photographs field annotated 1954. Revised in 1974 by the U. S. Geological Survey from aerial photographs taken 1973.  
 100,000-foot grid based on Colorado coordinate system, north zone.  
 Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

**LEGEND**  
 Figures in red denote approximate distances in miles between stars

**POPULATED PLACES**  
 Over 500,000  
 100,000 to 500,000  
 25,000 to 100,000  
 5,000 to 25,000  
 1,000 to 5,000  
 Less than 1,000

**ROADS**  
 Primary, all-weather, hard surface  
 Secondary, all-weather, hard surface  
 Light-duty, all-weather, hard or improved surface  
 Fair or dry weather, unimproved surface  
 Trail  
 Interchange

**RAILROADS**  
 Standard gauge  
 Single track  
 Double or Multiple track  
 Narrow gauge  
 International

**BOUNDARIES**  
 International  
 State  
 County  
 Park or reservation

**LANDMARKS**  
 School; Church; Other  
 Mine  
 Spot elevation in feet  
 Marsh or swamp  
 Intermittent or dry stream  
 Power line

**Other symbols:**  
 Landplane airport  
 Landing area  
 Steepland airport  
 Steepland anchorage  
 Woods-brushwood

Scale 1:250,000  
 0 5 10 15 20 25 30 Statute Miles  
 0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 200 FEET  
 WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS  
 TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METRE UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 13

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 14°11' 18" WEST TO 14°11' 18" EAST OF THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092

**SECTIONIZED TOWNSHIP**

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

**GRID ZONE DESIGNATION:** 13T  
 100,000 M. SQUARE IDENTIFICATION  
 BR CR DR  
 BQ CQ DQ

**TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METRES**  
 SAMPLE POINT GRAVEL PIT

**HOW TO USE THE GRID:**  
 1. Read letters identifying 100,000 metre square in which the point lies.  
 2. Locate first VERTICAL grid line LEFT of point and read LARGE figure bearing the line either in the top or bottom margin, or on the line itself.  
 3. Estimate tenths from grid line to point. BELOW point and read LARGE figure. Locate the line either in the left margin, or on the line itself.  
 4. Estimate tenths from grid line to point.  
 5. Add the two tenths to the grid zone designator.  
 6. Example: 440000

**GRID ZONE DESIGNATION:** 13T05771  
 If moving toward 18° in any direction, prefix Grid Zone Designation as: 13T05771

RETURN TO:  
 USGS NHD HISTORICAL MAP ARCHIVES

TOWNSHIP OR RANGE LINE  
 LAND GRANT BOUNDARY

CRAIG, COLORADO: WYOMING  
 1954  
 REVISED 1974

03-07-88