



Prepared by the Defense Mapping Agency Topographic Center, Washington, D. C. Compiled in 1955 by photogrammetric methods from aerial photographs taken 1953. Photographs field annotated 1954. Revised by the U. S. Geological Survey from aerial photographs taken 1975. Map edited 1977.

Area covered by dashed light-blue pattern is subject to controlled inundation 100,000-foot basis based on Colorado coordinate system, central and north zones.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS

Standard gauge
Narrow gauge
Intermodal
State
County
Park or reservation

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Grand Coulee Interchange
Sun Valley

Route markers: Interstate, U.S., State

Landmarks: School; Church; Other

Other features: Mine, Landplane airport, Landing area, Seaplane airport, Dry lake, Intermittent or dry stream, Woods/brushwood, Power line

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

CONTOUR INTERVAL 100 FEET

WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 13

1977 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 12° (20 MILES) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 11° (20 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

LOCATION DIAGRAM

RAWLINS NK 13-7
CRAIG NK 13-10
NJ 13-1
LEADVILLE
NJ 13-4
MONTROSE
NJ 13-7
DURANGO
NJ 13-8
TINNED
WYOMING
NK 13-8
NK 13-11
DENVER
NJ 13-2
SAND HILLS
NJ 13-3
NJ 13-6
NJ 13-9
NEBRASKA
NK 14-7
NK 14-10
NK 14-11
NK 14-12
NK 14-13
NK 14-14
NK 14-15
NK 14-16
NK 14-17
NEBRASKA
NK 14-8
NK 14-9
NK 14-10
NK 14-11
NK 14-12
NK 14-13
NK 14-14
NK 14-15
NK 14-16
NK 14-17
NEBRASKA
NK 14-8
NK 14-9
NK 14-10
NK 14-11
NK 14-12
NK 14-13
NK 14-14
NK 14-15
NK 14-16
NK 14-17

SECTIONIZED TOWNSHIP

6 5 4 3 2 1
7 8 9 10 11 12
13 14 15 16 17 18
19 20 21 22 23 24
25 26 27 28 29 30
31 32 33 34 35 36

GRID ZONE DESIGNATION

100,000 M. SQUARE IDENTIFICATION

EQ FQ GQ HQ
EP FP GP HP

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: SEBERT

1. Read letters identifying 100,000 meter square in which the point lies.
2. Locate the VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
3. Estimate tenths from grid line to point.
4. Locate the HORIZONTAL grid line below point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
5. Estimate tenths from grid line to point.

SAMPLE REFERENCE:

If reporting beyond 10" in any direction, prefix Grid Zone Designation, as: 470000 13S

LIMON, COLORADO, KANSAS

1954
REVISED 1977

MAP AND AIR PHOTO
LIBRARY

APR 25 1979

University of Wisconsin
Madison

3700
8250
.056

COLE 3