


Feet	Meters
1	.3048
2	.6096
3	.9144
4	1.2192
5	1.5240
6	1.8288
7	2.1336
8	2.4384
9	2.7432

To convert feet to meters
multiply by .3048

To convert meters to feet
multiply by 3.281



210 000 FEET | 57' 30"

NATIONAL OCEAN SURVEY
HYDROGRAPHIC SURVEY INDEX

H-9380

HYDROGRAPHIC SURVEY
INFORMATION

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-9380	1973	1:10,000	.01-.05

31 (PISCATAWAY) 32 PISCATAWAY & M.I. 33
 5661 111 NW
 SCALE 1:24,000

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
 1 0.5 0 1 KILOMETER

CONTOUR INTERVAL 10 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY
 0.5 METER CONTOURS—DATUM IS MEAN LOW WATER
 THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
 THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.4 METER







BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC
 ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS
 AND/OR STANDARDS USED AT THE DATE OF THE SURVEY

FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
 AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE FROM REQUEST

• INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1983
 136m
 T.B. 3.5 MI
 WALDORF TO MI
 76°52'

ROAD CLASSIFICATION

Heavy-duty  Light duty 
 Medium-duty  Unimproved dirt 
 Interstate Route  State Route

ANACOSTIA, D.C. – MD.

N3845 – W7652.5/7.5

1965

PHOTOREVISED 1979

BATHYMETRY ADDED 1982

DMA 5661 IV SW—SERIES V833

RETURN TO:
USGS NHD HISTORICAL MAP ARCHIVES

AUG 28 1963