



Produced by the United States Geological Survey  
Topography compiled 1974. Planimetry derived from imagery taken 1994 and other sources. Public Land Survey System and survey control current as of 1975.  
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 16. 2 000-meter ticks: Florida Coordinate System of 1983 (north zone) 10 000-foot ticks: Alabama Coordinate System of 1983 (west zone)  
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute sections are obtainable from National Geodetic Survey NADCON software.  
Landmark buildings verified 1975.



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



ROAD CLASSIFICATION

Primary highway	Light-duty road, hard or
hard surface	improved surface
Secondary highway	Unimproved road
hard surface	

Interstate Route U.S. Route State Route

**RECEIVED**  
MAR 31 1999  
USGS NMD  
HISTORICAL MAP ARCHIVES

1	2	3
4	5	6
7	8	

1 Eason  
2 Bay Springs  
3 Mc David  
4 Gateswood  
5 Molino  
6 Elamers  
7 Semitole  
8 Cantometer

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

**BARRINEAU PARK, FL-AL**  
1994  
NIMA 3545 III NW-SERIES V847

