



Mapped by the Geological Survey
1943-1944

UTM GRID AND 1944 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 1 KILOMETER

Contour interval 10 feet
Datum is mean sea level

ROAD CLASSIFICATION 1945
Dependable hard-surface
heavy-duty road
Secondary hard-surface
all-weather road
Dirt road
Dry weather roads
Loose surface graded
Unsurfaced, graded
Dirt road
U. S. Route 15
State Route 26
More than two lanes indicated along road with tick at point of change 2 LANE, 4 LANE
U.S.G.S. Historical File Topographic Division
BAYHEAD, FLA.
N3015-W8530/7.5
1944
1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue
POLYCONIC PROJECTION, 1927 NORTH AMERICAN DATUM
5000-YARD GRID BASED ON U. S. ZONE SYSTEM, C
10000-FOOT GRID BASED ON FLORIDA (NORTH)
RECTANGULAR COORDINATE SYSTEM

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

FILE COPY
TOPOGRAPHIC DIVISION

AMS 3844 1 SE-SERIES V847

AUG 2 1967