


Produced by the United States Geological Survey  
Control by USGS and NOS/NOAA  
Culture and drainage in part compiled from aerial photographs taken 1952. Topography by planetable surveys 1956  
Projection and 10,000-foot grid ticks. Florida coordinate system, west zone (transverse Mercator)  
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue  
1927 North American Datum (NAD 27)  
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks  
The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are given in USGS Bulletin 1875  
Photinspected from 1990 source; no major culture or drainage changes observed. Boundaries and names verified 1993  
Dashed contours in strip mine areas represent conditions before being mined  
Light purple tint indicates reclaimed strip mine areas

Revisions shown in purple and woodland compiled in cooperation with State of Florida agencies from aerial photographs taken 1984 and other sources. This information not field checked  
Map edited 1987



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3
4	5	6
7	8	

ADJOINING 7.5' QUADRANGLE NAMES

ROAD CLASSIFICATION  
Primary highway, hard surface  
Secondary highway, hard surface  
Interstate Route  
U. S. Route  
State Route  
Light-duty road, hard or improved surface  
Unimproved road



BEREAH, FLA.  
27081-F6-TF-024  
1956  
PHOTOREVISED 1987  
MINOR REVISION 1993