



Produced by the United States Geological Survey  
Topography compiled 1962. Planimetry derived from imagery taken 1994 and other sources. Public Land Survey System and survey control current as of 1964.  
Selected hydrographic data compiled from NOS Charts 586, 857-B (1963) and 1256 (1962). This information is not intended for navigational purposes.  
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 17. 2 500-meter ticks: Florida Coordinate System of 1983 (west zone).  
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.  
Landmark buildings verified 1964.



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048  
DEPTH CURVES AND SOUNDINGS IN FEET. DATUM IS MEAN LOWER LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.3 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3
4	5	6
7	8	

RECEIVED  
OCT 31 2000  
USGS NHD  
HISTORICAL MAP ARCHIVES  
BRADENTON, FL  
1994  
NIMA 4438 I NE-SERIES 5847

ISBN 0-607-91667-2  
9 780607 916672