

Produced by the United States Geological Survey
Control by USGS and NOS/NOAA



Topography by planetable methods from aerial photographs
taken 1951. Hydrography from NOS/NOAA Chart 1258

Projection and 1000-meter grid ticks, zone 17, shown in blue
Universal Transverse Mercator
10,000-foot grid ticks: Florida coordinate system, west zone
1927 North American Datum

The difference between 1927 North American Datum and North
American Datum of 1983 (NAD 83) for 7.5-minute intersections
is given in USGS Bulletin 1875. The NAD 83 is shown by
dashed corner ticks

There may be private inholdings within the boundaries of the
National or State reservations shown on this map

Photinspected from 1990 source; no major culture or
drainage changes observed. Boundaries and names revised 1992



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF NEAR HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



1	2	3	1
2	3	4	2
3	4	5	3
4	5	6	4
5	6	7	5
6	7	8	6
7	8		7
8			8

ADJOINING 7.5 QUADRANGLE NAMES

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

CHASSAHOWITZKA BAY, FLA.
28082-F6-TF-024
1954
MINOR REVISION 1992
DMA 4441 II NW--SERIES V847