


To convert feet to meters multiply by 3048  
To convert meters to feet multiply by 3.2808

1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide



Produced by the Geological Survey and the National Ocean Survey  
Control by the USGS and NOS/NOAA  
Orthophotomaps prepared from aerial photograph taken January 10, 1976. Topography by photogrammetric methods from aerial photographs taken January, 1975 and planimetric surveys 1978. Field checked 1978. Map edited 1981. Supersedes topographic map dated 1950.  
Bathymetry compiled by the National Ocean Survey from tide-coordinated hydrographic surveys.  
This information is not intended for navigational purposes.  
Mean low water (dotted) line and mean high water (solid) line compiled by NOS from tide-coordinated aerial photographs.  
Apparent shoreline (outer edge of vegetation) shown by photomicroscopy.  
Projection and 10,000-foot grid ticks: Florida coordinate system, north zone (Lambert conformal conic).  
1000-meter Universal Transverse Mercator grid, zone 16 1927 North American Datum.  
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks.  
Dotted land lines established by private subdivision of the Forbes Purchase.  
There may be private inholdings within the boundaries of the National or State reservations shown on this map.

UTM GRID AND 1992 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

QUADRANGLE LOCATION

1	2	3	4	5	6	7	8
1	Beverly Point	2	Green Point	3	Carrabelle	4	Apalachicola
5	Sugar Hill	6	New Inlet	7		8	

ADJOINING 7.5 QUADRANGLE NAMES

Photoinspersed from 1990 source; no major culture or drainage changes observed. Boundaries and names revised 1992

SCALE 1:24 000

1 000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000

1 000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000

CONTOUR INTERVAL 2 METERS  
SUPPLEMENTARY CONTOUR INTERVAL 1 METER  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER  
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER  
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS—GULF COAST LOW WATER DATUM  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.7 METERS

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION #4 ACCURACY STANDARDS AND/OR STANDARDS USED AT THE DATE OF THE SURVEY

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NATIONAL OCEAN SURVEY HYDROGRAPHIC SURVEY INDEX

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Nautical Miles)
H-1184	1873	1:40,000	01-30
H-5794	1935	1:20,000	01-12
H-5879	1935	1:20,000	05-16
H-6784	1942-43	1:40,000	10-32
H-6788	1943	1:20,000	02-15
H-9704	1977	1:40,000	10-15

ROAD CLASSIFICATION

Primary highway, hard surface — Light-duty road, hard or improved surface  
Secondary highway, hard surface — Unimproved road  
Trails — Trails

Interstate Route U. S. Route State Route  
County Route

GOOSE ISLAND, FLA.  
29084-F7-TB-024  
1981  
MINOR REVISION 1992  
DMA 4043 III NE - SERIES V8470

