



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, USCE, and Florida Geodetic Survey
Planimetry by photogrammetric methods from aerial photographs taken 1943. Topography by planetable surveys 1948. Revised from aerial photographs taken 1963. Field checked 1964.
Selected hydrographic data compiled from USC&GS Charts 569 (1963), 577 (1963), and 1243 (1962). This information is not intended for navigational purposes.
Polyconic projection. 1927 North American datum
10,000-foot grid based on Florida coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked
Red tint indicates areas in which only landmark buildings are shown

UTM GRID and 1964 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

0°13' 4 MILS 0°13' 9 MILS

SCALE 1:24,000

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 KILOMETER

CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 5.2 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———

U.S. Route ——— State Route ———

QUADRANGLE LOCATION

FLORIDA

JACKSONVILLE BEACH, FLA.

SW 1/4 MAYPORT 15' QUADRANGLE
N3015—W8122.5/7.5

1964

AMS 4744 IV SW—SERIES Y847

MAR 29 1965

350