



Mapped by the U. S. Corps of Engineers  
Edited and published by the Geological Survey  
Control by USGS, USC&GS, USCE, and Florida Geodetic Survey  
Topography from aerial photographs by photogrammetric methods  
Aerial photographs taken 1950  
Field check by the Geological Survey 1952  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Florida coordinate system,  
west zone

Red tint indicates area in which only  
landmark buildings are shown

1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue

Revisions shown in purple compiled by the Geological Survey from  
aerial photographs taken 1972. This information not field checked  
Purple tint indicates extension of urban areas

WEST FROSTPROOF (JUNO, U.S. 98) 11 MI.,  
53 MI. TO FLORIDA TO

UTM GRID AND 1972 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000

CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt - - - - -  
U. S. Route      State Route

FLORIDA  
QUADRANGLE LOCATION

USGS NMO (HISTORICAL MAP)  
MAY 23 1987  
REC'D FILE COPY

LAKE WALES, FLA.  
27081-H5-TF-024

1952  
PHOTOREVISED 1972  
DMA 4639 I NE-SERIES 9847

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

To place on the predicted North American Datum 1983,  
move the projection lines 29 meters south and  
19 meters west as shown by dashed corner ticks