



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography by photogrammetric methods from aerial photographs taken November 1969. Field checked 1970
Selected hydrographic data compiled from USC&GS Charts 870 SC (1970) and 1264 (1969). This information is not intended for navigational purposes
Polyconic projection. 1927 North American datum
10,000-foot grid based on Florida coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue
Red tint indicates areas in which only landmark buildings are shown
Where omitted, land lines have not been established

Revisions shown in purple compiled in cooperation with State of Florida agencies from aerial photographs taken 1976
This information not field checked

SCALE 1:24,000

CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
SHORLING SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 1.4 FEET IN INLAND WATERS AND NEGLIGIBLE IN THE GULF OF MEXICO

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road

○ Interstate Route □ U. S. Route ○ State Route

USGS
Historical File
Topographic Division

MARY ESTHER, FLA. 3150
N3022.5—W8637.5/7.5
1970
PHOTOREVISED 1976 SEP 23 1977
AMS 3544 1 NW—SERIES V847