




Mapped by the NOAA National Ocean Survey  
Edited and published by the Geological Survey  
Control by USGS, NOS/NOAA, and Florida Geodetic Survey  
Planimetry by photogrammetric methods from aerial photographs taken 1949. Topography by planimetric surveys 1951. Revised by the Geological Survey from aerial photographs taken 1963. Field checked 1964  
Selected hydrographic data compiled from NOS chart 1243 (1962)  
This information is not intended for navigational purposes  
Polyconic projection. 10,000-foot grid ticks based on Florida coordinate system, east zone. 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue. 1927 North American Datum. To place on the predicted North American Datum 1983 move the projection lines 22 meters south and 17 meters west as shown by dashed corner ticks



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 4.5 FEET



ROAD CLASSIFICATION

Heavy-duty	Light-duty
Medium-duty	Unimproved dirt
State Route	

DEC 21 1981

PALM VALLEY, FLA.  
N3007.5—W8122.5/7.5  
1964  
PHOTOREVISED 1981  
DMA 4744 III NW—SERIES 5847

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple and woodland compiled by the Geological Survey from aerial photographs taken 1977 and other sources. This information not field checked. Map edited 1981