



Produced by the United States Geological Survey
 Control by USGS and NOS/NOAA
 Topography by photogrammetric methods from aerial photographs taken November 1969. Field checked 1970
 Selected hydrographic data compiled from USC&GS Chart 1264 (1969)
 This information is not intended for navigational purposes
 Polyconic projection. 1927 North American datum
 10,000-foot grid based on Florida coordinate system, north zone
 1000-meter Universal Transverse Mercator grid, zone 16
 shown in blue
 The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks
 Photomaps from 1990 source; no major culture or drainage changes observed. Boundaries and names revised 1992

Revisions shown in purple compiled in cooperation with State of Florida agencies from aerial photographs taken 1976
 This information not field checked

SCALE 1:24,000
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 CONTOUR INTERVAL 5 FEET
 DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
 SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
 THE MEAN RANGE OF TIDE IS NEGLIGIBLE

ROAD CLASSIFICATION
 Primary highway, hard surface
 Secondary highway, hard surface
 Interstate Route
 U. S. Route
 State Route
 Light-duty road, hard or improved surface
 Unimproved road
 U. S. Route
 State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

POINT WASHINGTON, FLA.
 SE/4 POINT WASHINGTON 15' QUADRANGLE
 30086-C1-1F-024
 1970
 PHOTOREVISED 1976
 MINOR REVISION 1992
 DMA 3744 I SE—SERIES V847