



Mapped, edited, and published by the Geological Survey in cooperation with the U. S. Corps of Engineers. Revised in cooperation with the State of Florida agencies Control by USGS, NOS/NOAA, and Florida Department of Transportation Culture and drainage in part compiled from aerial photographs taken 1947. Topography by planetable survey 1950. Revised from aerial photographs taken January 1976. Field checked 1977. Map edited 1982.

Polyconic projection. 10,000-foot grid ticks based on Florida coordinate system, north zone 1000-meter Universal Transverse Mercator grid, zone 16 1927 North American Datum. To place on the predicted North American Datum 1983 move the projection lines 17 meters south and 7 meters west as shown by dashed corner ticks. Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked.

UTM GRID AND 1982 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

0° 40' 12 MILS

SCALE 1:24,000

CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 METERS

ROAD CLASSIFICATION

Primary highway, hard surface
Secondary highway, hard surface
Interstate Route
U. S. Route
State Route
County Route

Light-duty road, hard or improved surface
Unimproved road

QUADRANGLE LOCATION

FLORIDA

USGS INFO HISTORICAL MAP

REC'D FILE 10/27

POPLAR HEAD, FLA.
N3037.5-W8537.5/7.5

1982

DMA 3845 11 NW-SERIES 5847