



Mapped by U. S. Coast and Geodetic Survey and National Ocean Service
and National Ocean Service
Edited and published by the Geological Survey
Control by NOS/NOAA and USCE
Planimetry by photogrammetric methods from aerial photographs taken 1942. Topography by planetable surveys 1945
Revised by the Geological Survey from aerial photographs taken 1961. Field checked 1962
Bathymetry compiled by the National Ocean Service from tide-coordinated hydrographic surveys. This information is not intended for navigational purposes
Mean low water (dotted) line and mean high water (heavy solid) line compiled by NOS from tide-coordinated aerial photographs. Apparent shoreline (outer edge of vegetation) shown by light solid line
Polycyclic projection. 1927 North American Datum
10,000-foot grid ticks based on Florida coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
To place on the predicted North American Datum 1983, move the projection lines 39 meters south and 24 meters west as shown by dashed corner ticks
There may be private inholdings within the boundaries of the National or State reservations shown on this map
Red tint indicates areas in which only landmark buildings are shown
Revisions shown in purple and woodblock compiled by the Geological Survey in cooperation with State of Florida agencies from aerial photographs taken 1980 and other sources. This information not field checked. Map edited 1983

NATIONAL OCEAN SERVICE
HYDROGRAPHIC SURVEY INDEX

HYDROGRAPHIC SURVEY
INFORMATION

SURVEY NUMBER	SURVEY DATE	SURVEY SCALE	SURVEY LINE SPACING (NAUT. MILES)
H-4811	1929	1:50,000	02-15
H-8736	1962-69	1:20,000	02-18
H-8782	1963	1:100,000	25-10
H-8783	1964	1:100,000	45-10

NOS CHART 11472 AUGUST 14, 1962 1:40,000

SCALE 1:24,000

CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 1 METER AND 50 METERS
WITH SUPPLEMENTARY 0.5 METER AND 1.0 METER INTERVALS
DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
BATHYMETRIC SURVEY DATA COMPILED WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND/OR STANDARDS USED AT THE DATE OF THE SURVEY
FOR SALE BY U. S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND NATIONAL OCEAN SERVICE, ROCKVILLE, MARYLAND 20852
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
State Route ○

QUADRANGLE LOCATION

PORT EVERGLADES, FLA.
26080-A1-TB-024
1962
PHOTOREVISED 1983
BATHYMETRY ADDED 1986
DMA 4956 II SE-SERIES V847

UTM GRID AND 1986 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET