



Mapped by U. S. Coast & Geodetic Survey  
Edited and published by the Geological Survey  
Control by USC&GS(C) and USED(E)  
Culture and drainage in part compiled from  
aerial photographs taken 1946. Field check 1948  
Topography by plane-table methods 1948  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Florida coordinate system,  
east zone  
No distinction is made between dwellings, barns,  
commercial, and industrial buildings  
Dashed public land lines indicate approximate location

TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION, 1948

SCALE 1:24000  
CONTOUR INTERVAL 5 FEET  
DATUM IS MEAN SEA LEVEL  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 1 FOOT IN THE INDIAN RIVER  
AND 3 FEET ALONG THE OCEAN  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty... 4 LANE 4 LANE Improved dirt...  
Medium-duty... 4 LANE 4 LANE Unimproved dirt...  
Loose-surface, graded, or narrow hard-surface...  
U. S. Route State Route  
RIOMAR, FLA.  
N2737.5-W8015.7.5  
EDITION OF 1950

U.S.G.S.  
FILE COPY  
Inspection and Editing

AUG 15 1950 1990