



Mapped by U. S. Coast & Geodetic Survey
Edited and published by the Geological Survey
Control by USC&GS(C) and USED(E)
Culture and drainage in part compiled from
aerial photographs taken 1946. Field check 1948
Topography by plane-table methods 1948
Polyconic projection. 1927 North American datum
10,000-foot grid based on Florida coordinate system,
east zone
No distinction is made between dwellings, barns,
commercial, and industrial buildings
Dashed public land lines indicate approximate location

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1948

SCALE 1:24000
1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 5 10 KILOMETER
CONTOUR INTERVAL 5 FEET
DATUM IS MEAN SEA LEVEL
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 1 FOOT IN THE INDIAN RIVER
AND 3 FEET ALONG THE OCEAN
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division

ROAD CLASSIFICATION USC&GS T-8842
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty 4 LANE 12 LANE Improved dirt
Medium-duty 4 LANE 12 LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route

RIOMAR, FLA.
N2737.5-W8015.7.5
EDITION OF 1950

U.S.G.S.
FILE COPY
Inspection and Filing