



Maped by the U. S. Corps of Engineers
 Edited and published by the Geological Survey
 Control by USCG&S and USCE
 Topography from aerial photographs by photogrammetric methods
 and by plane-table surveys 1950-1951. Aerial photographs taken 1950
 Field check by the Geological Survey 1952
 Polyconic projection. 1927 North American datum
 10,000-foot grid based on Florida coordinate system,
 east zone
 Red tint indicates area in which only
 landmark buildings are shown
 Certain land lines are omitted in T. 36 S.-R. 29 E.
 because of insufficient data
 1000-meter Universal Transverse Mercator grid ticks,
 zone 17, shown in blue

UTM GRID AND 1972 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET
 Revisions shown in purple compiled by the Geological Survey from
 aerial photographs taken 1972. This information not field checked
 Purple tint indicates extension of urban areas

SCALE 1:24,000
 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
 1 KILOMETER
 CONTOUR INTERVAL 5 FEET
 DATUM IS MEAN SEA LEVEL
 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
 Heavy-duty 4 LANE 16 LANE Light-duty
 Medium-duty 4 LANE 16 LANE Unimproved dirt
 U. S. Route State Route
 SEBRING, FLA.
 N2722.5-W8122.5/7.5
 1952
 PHOTOREVISED 1972
 AMS 4738 IV NW-SERIES V847
 MAY 8 1973
 2635