

Topography by photogrammetric methods from aerial photographs taken November 1969. Field checked 1970 Selected hydrographic data compiled from USC&GS Charts 870SC and 1265 (1970). This information is not intended

0 MILS

Photoinspected from 1990 source; no major culture or

UTM GRID AND 1992 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

drainage changes observed. Boundaries and names revised 1992

1 MIL

-----1 KILOMETER CONTOUR INTERVAL 5 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929

Secondary highway, hard surface Unimproved road.

for navigational purposes For navigational purposes Polyconic projection. 1927 North American datum 10,000-foot grid based on Florida coordinate system, north zone 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS bulletin 1875. The NAD 83 is shown by dashed corner ticks dashed corner ticks Where omitted, land lines have not been established

DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER THE MEAN RANGE OF TIDE IS APPROXIMATELY 1.4 FEET IN INLAND WATERS AND NEGLIGIBLE IN THE GULF OF MEXICO

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

