



CONVERSION SCALES

Feet	Meters
1500	450
1400	400
1300	350
1200	300
1100	250
1000	200
900	150
800	100
700	50
600	0
500	0
400	0
300	0
200	0
100	0
0	0

Feet Meters

1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters multiply by .3048
To convert meters to feet multiply by 3.2808

Produced by the United States Geological Survey
Control by USGS and NOS/NOAA

Orthophotomap prepared from aerial photographs taken January 10, 1976. Compiled by photogrammetric methods from aerial photographs taken January 1975 and from planetable surveys 1978

Field checked 1976. Map edited 1982

Supersedes topographic map dated 1943

Projection and 10,000-foot grid ticks: Florida coordinate system, north zone (Lambert conformal conic)

1000-meter Universal Transverse Mercator grid, zone 16

1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 20 meters south and 8 meters west as shown by dashed corner ticks

UTM GRID AND 1982 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

0° 0' 0" 16 MILS

SCALE 1:24 000

1 000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10 000

1 000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10 000

CONTOUR INTERVAL 2 METERS
SUPPLEMENTARY CONTOUR INTERVAL 1 METER
DASHED SUPPLEMENTARY CONTOURS ARE APPROXIMATE
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL ELEVATIONS SHOWN TO NEAREST 0.1 METER
OTHER ELEVATIONS SHOWN TO NEAREST 0.5 METER

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface ——— Light-duty road, hard or improved surface ———

Secondary highway, hard surface - - - - - Unimproved road - - - - -

Trails ———

Interstate Route U. S. Route State Route County Route

QUADRANGLE LOCATION

FLORIDA

CONTOURS AND ELEVATIONS IN METERS

WHITE CITY, FLA.
29085-H3-OM-024
1982
DMA 3943 1 NW - SERIES 18470