

V501, EDITION 3
 Prepared by the U.S. Army Topographic Command (AECGN), Washington, D.C. Compiled in 1955 by photogrammetric methods and from United States quadrangles, 1:62,500 and 1:50,000, 1912-47; USCGS charts, 1952. Planimetry revised in part from aerial photographs taken 1950. Photographs field annotated 1954. Revised in 1972 by the U.S. Geological Survey from aerial photographs taken 1972.
 Selected hydrographic data compiled from USCGS charts. This information is not intended for navigational purposes.
 Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000
 100,000 to 500,000
 25,000 to 100,000
 5,000 to 25,000
 Less than 5,000

ROADS

Primary, all-weather, hard surface
 Secondary, all-weather, hard surface
 Light-duty, all-weather, hard or improved surface
 Fair or dry weather, unimproved surface
 Trail

Interchange

Interchange: Interstate, U.S. State

Route markers: Interstate, U.S. State

Landmarks: School, Church, Other

Depth curve in feet

Limit of danger: Reef

Rocks: Awash

Foreshore flat

Intermittent or dry stream

Woods: brushwood

Marsh or swamp

BOUNDARIES:

International
 County
 State
 Park or reservation
 Spot elevation in feet

RAILROADS

Standard gauge
 Single track
 Double or multiple track
 Narrow gauge

Landplane airport

Landing area

Seaplane airport

Orchard

Power line; Mine

Fishhook

Bar Harbor

Landplane airport

Landing area

Seaplane airport

Orchard

Power line; Mine

Fishhook

Bar Harbor

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers


0 5 10 15 20 25 30 Nautical Miles

**CONTOUR INTERVAL 50 FEET
 WITH SUPPLEMENTARY CONTOURS AT 25 FOOT INTERVALS
 TRANSVERSE MERCATOR PROJECTION**

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 0° 0' (MILES) FOR THE CENTER OF THE WEST EDGE TO 21° 40' (MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092



SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

GRID ZONE DESIGNATION: 17R

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

MD	ND
MC	NC

GRID REFERENCE:
 If ranging beyond 10' in any direction, prefix Grid Zone Designation as: 17RMC65

DAYTONA BEACH, FLORIDA
 1954
 REVISED 1972

USGS
 Historical File
 Topographic Division

STOCK NO V501XNH178***03

MAR 28 1974

50 pages