



V501, EDITION 3
Prepared by the U. S. Army Topographic Command (ASCSX), Washington, D.C. Compiled in 1955 by photogrammetric methods and from United States quadrangles, 1:24,000 and 1:25,000, 1946-1952, and NOS charts, 1952-1953. Planimetry revised from aerial photographs taken 1949-50. Photographs field annotated 1955. Revised in 1972 by the U.S. Geological Survey from aerial photographs taken 1971 and 1972.
Selected hydrographic data compiled from NOS charts.
This information is not intended for navigational purposes.
100,000-foot grid based on Florida coordinate system east and west zones
Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS

Single track
Double or multiple track
Standard gauge
Narrow gauge

BOUNDARIES

International
State
County
Park or reservation
Spot elevation in feet

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unimproved surface
Trail
Interchange
Bar Harbor
Ferry
Landplane airport
Landing area
Seaplane airport
Power line
Mile
Orchard
Woods brushwood

Landmarks

School
Church
Other
Depth curve in feet
Limit of danger: Reef
Rock
Awash
Sunken
Foreshore flat
Mangrove
Intertidal or dry stream
Marsh or swamp

Scale 1:250,000

0 5 10 15 20 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 50 FEET
WITH SUPPLEMENTARY CONTOURS AT 25 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 0° 0' (W) TO 0° 10' (E) FOR THE CENTER OF THE SHEET. TO THE 10' 00' WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225; OR RESTON, VIRGINIA 22092

LOCATION DIAGRAM

SECTIONIZED TOWNSHIP

6 5 4 3 2 1
7 8 9 10 11 12
13 14 15 16 17 18
19 20 21 22 23 24
25 26 27 28 29 30
31 32 33 34 35 36

USGS NHD HISTORICAL MAP

DEC 13 1989

REC'D FILE COPY

GRID ZONE DESIGNATION: 17R

100,000 M. SQUARE IDENTIFICATION

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT: CHRISTMAS

1. Read letters identifying 100,000 meter square in which the point lies.

2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.

3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.

Estimate tenths from grid line to point.

Estimate hundredths from grid line to point.

SAMPLE REFERENCE:

If reporting second 10' in any direction, prefix Grid Zone Designation, etc.

17RMB957