



V501
Edition 1-AMS (First Printing, 4-59)

Prepared by the Army Map Service (TWS), Corps of Engineers, U.S. Army, Washington, D. C. Compiled in 1957 from United States Quadrangles, 1:24,000; U.S. Geological Survey, edition 1943, Alabama, Florida, and Louisiana Quadrangles, 1:25,000; 1:50,000 Army Map Service, 1936-53; U.S. Geologic Survey Charts, 1:43,500. Planimetric detail revised by photogrammetric methods. Horizontal and vertical control by USCGS, USGS, GE and Alabama Geodetic Survey. Map field checked, 1957.

LEGEND

ROAD DATA 1957
Figures in red denote approximate distances in miles between stars

POPULATED PLACES
Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS
Standard gauge
Narrow gauge
Interurban
Streetcar
Park or reservation
Horizontal control point
Spot elevation in feet

BOUNDARIES
International
State
County
Park or reservation
Horizontal control point
Spot elevation in feet

LANDMARKS
School; Church; Other
Depth curve in feet
Limit of danger; Reef
Rocks; Basalt; Sunkens
Foreshoar flat
Intermittent or dry stream
Marsh or swamp

LANDS
1. Barely settled
2. Settled
3. Cultivated
4. Forested
5. Pastured
6. Wooded
7. Marsh or swamp

WATER
1. Barely settled
2. Settled
3. Cultivated
4. Forested
5. Pastured
6. Wooded
7. Marsh or swamp

Scale 1:250,000
20 Statute Miles
30 Kilometers
15 Nautical Miles

**CONTOUR INTERVAL 50 FEET
WITH SUPPLEMENTARY CONTOURS AT 25 FOOT INTERVALS**

TRANSVERSE MERCATOR PROJECTION

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 16

THE LAST FOUR DIGITS OF THE GRID NUMBERS ARE OMITTED

1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 4° 41' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 3° 30' WESTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 3" WESTERLY.

USES NOTING ERRORS OR OMISSIONS ON THIS MAP ARE LIKELY TO BE MADE HEREON AS FORWARDING DIRECTLY TO COMMANDING OFFICERS, ARMY MAP SERVICE, WASHINGTON, D. C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.

LOCATION DIAGRAM FOR NH 16-5

NH 15-12	NH 16-10	NH 16-11	NH 16-12	NH 17-10
MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI
NH 15-13	NH 16-11	NH 16-12	NH 16-13	NH 17-11
MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI
NH 15-14	NH 16-12	NH 16-13	NH 16-14	NH 17-12
MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI
NH 15-15	NH 16-13	NH 16-14	NH 16-15	NH 17-13
MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI	MISSISSIPPI

RELIABILITY DIAGRAM

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO MEASURE 500 METERS

GRID ZONE IDENTIFICATION: 16E

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO MEASURE 500 METERS

GRID ZONE IDENTIFICATION: 16E

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO MEASURE 500 METERS

GRID ZONE IDENTIFICATION: 16E

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO MEASURE 500 METERS

GRID ZONE IDENTIFICATION: 16E

PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 4-59 - 665944

PENSACOLA, FLA., ALA.

United States. Topo. 1:250,000.
sheet Pensacola,
cop. 1.

WASHINGTON
OCT - 5 1959
LIBRARY