




CONVERSION
SCALES




Feet	Meters
1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters
multiply by 3048
To convert meters to feet
multiply by 3.2808

1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide




Mapped, edited, and published by the Geological Survey and the National Ocean Survey
Control by USGS, NOS/NOAA, and USCE
Orthophotomap prepared by the Geological Survey from aerial photograph taken April 18, 1974. Topography by the National Ocean Survey by planimetric surveys 1953; revised by USGS from aerial photographs taken 1974. Field checked 1975. Map edited 1979. Supersedes NOS topographic map dated 1954.
Bathymetry compiled by the National Ocean Survey from tide-coordinated hydrographic surveys. Soundings compiled from NOS 11510.
This information is not intended for navigational purposes.
Mean low water (dotted) line and mean high water (solid) line compiled by NOS from tide-coordinated aerial photographs. Apparent shoreline (outer edge of vegetation) shown by photomicroscopy.
Projection and 10,000-foot grid ticks: Georgia coordinate system, east zone (transverse Mercator).
1000-meter Universal Transverse Mercator grid, zone 17 1927 North American datum.
To place on the predicted North American Datum 1983 move the projection lines 19 meters south and 17 meters west as shown by dashed corner ticks.
There may be private inholdings within the boundaries of the National and State reservations shown on this map.




UTM GRID AND 1979 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-4471	1924-25	1:20,000	01-30
H-5631	1934	1:10,000	02-07
H-5632	1934	1:10,000	01-03
H-5633	1934	1:10,000	03-07
H-5634	1934	1:10,000	02-04
H-9473	1974	1:20,000	05-11



CONTOUR INTERVAL 1.5 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS—DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.2 METERS

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS
AND/OR STANDARDS USED AT THE DATE OF THE SURVEY
FOR SALE BY THE GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Trails
Interstate Route
U. S. Route
State Route
Light-duty road, hard or improved surface
Unimproved road

USGS
Historical File
Topographic Division
DMA 4746 IV NE—SERIES V8450

DOBOY SOUND, GA.
N3122.5—W8115.75

1979

APR 18 1980

1154